

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA**

Date of filing in State Engineer's Office..... JAN 16 1978.....

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... Sep 28, 1971 under 26336.....

The applicant..... Rebecca Manor Water User's Association.....  
5433 Rebecca Road....., of Las Vegas.....  
Street and No. or P.O. Box No. City or Town  
Nevada 89106....., hereby makeS.. application for permission to appropriate the public  
State and Zip Code No.  
 waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is Las Vegas Artesian Basin  
Name of stream, lake or other source.
2. The amount of water applied for is .018568.....second-feet  
One second-foot equals 448.83 gals. per min.  
 (a) If stored in reservoir give number of acre-feet.....acre-feet
3. The water to be used for Quasi-Municipal subdivision use  
Irrigation, power, mining, manufacturing, domestic, or other use.
4. If use is for:
  - (a) Irrigation (state number of acres to be irrigated).....
  - (b) Stockwater (state number and kinds of animals to be watered).....
  - (c) Other use (describe fully under "No. 12. Remarks").....
  - (d) Power:
    - (1) Horsepower developed..... 5 HP single phase pump.....
    - (2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point: from the point of diversion to the N $\frac{1}{4}$  cor. of sec. 35, T19S, R60E a line bears N 66 18' 05" E a distance of 1190.39 feet, said point of diversion being within the NE $\frac{1}{4}$ NW $\frac{1}{4}$  of said Sec. 35.  
Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land, it should be stated.
6. Place of use S $\frac{1}{2}$  W. 162 feet N $\frac{1}{2}$  W $\frac{1}{2}$  NE $\frac{1}{4}$  NW $\frac{1}{4}$  and N $\frac{1}{2}$  W. 162 feet S $\frac{1}{2}$  W $\frac{1}{2}$  NE $\frac{1}{4}$  NW $\frac{1}{4}$  sec. 35, T19S, R60E, MDM, Clark County, Nevada.  
Describe by legal subdivision, if on unsurveyed land it should be so stated.
7. Use will begin about January 1.....and end about December 31....., of each year.  
Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) 5 hp pump and 10,000 gal. pressure tank. All services underground.  
State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits.

9. Estimated cost of works.....\$5200.....
10. Estimated time required to construct works.....existing.....
11. Estimated time required to complete the application to beneficial use.....5 years.....
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Applicant.....

By s/Raney Rausch, Pres.  
Rebecca Manor Water User's Assoc.  
5433 Rebecca Rd.  
Las Vegas, Nev. 89106

Compared lp/bl/bc jv/bl

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed in the discharge pipeline, near the point of diversion, and accurate measurements must be kept of water placed to beneficial use. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.018568 cubic feet per second, but not to exceed 2.92 million gallons annually.

- Actual construction work shall begin on or before July 16, 1979
- Proof of commencement of work shall be filed before August 16, 1979
- Work must be prosecuted with reasonable diligence and be completed on or before July 16, 1980
- Proof of completion of work shall be filed before August 16, 1980
- Application of water to beneficial use shall be made on or before July 16, 1982
- Proof of the application of water to beneficial use shall be filed on or before August 16, 1982
- Map in support of proof of beneficial use shall be filed on or before

Commencement of work filed.....

Completion of work filed.....

Proof of beneficial use filed.....

Cultural map filed.....

Certificate No.....Issued.....

Recorded.....Bk.....Page.....

County Recorder

IN TESTIMONY WHEREOF, I WILLIAM J. NEWMAN  
State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 16th day of January

A.D. 19 79  
CANCELED APR 11 1980 BECAUSE OF FAILURE OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT  
STATE ENGINEER